

Tranquil

but alert

Serene, above the petty irritations of life, but well oriented, alert and in full command of his faculties—just like the patient who has taken Librium.

The specific effect of Librium against anxiety and its many somatic expressions under full preservation of intellectual acuity explains its usefulness in almost all medical disciplines. The impressive properties of Librium have been analysed in 700 publications.

Documentation on request.

Supply: Capsules 5, 10, 25 mg., Tablets, 10 mg., Ampoules, 100 mg.

Librium® 7-chloro-2-methylamino-5-phenyl-3H-1,4benzo- diazepine 4-oxide hydrochloride ®Trade Mark Reg'd

Hoffmann-La Roche Limited, Montreal

The Canadian Medical Protective Association

PRESIDENT - GEORGE W. ARMSTRONG, M.D.

A mutual medical defence union founded in 1901, Incorporated by Act of Dominion Parliament, February, 1913, and affiliated with the Canadian Medical Association, 1924.

Assistance offered by the Association may include:


- (1) Advice about the best way to avoid suit when threats have been made.
- (2) The actual defence of the suit and the payment of costs thereof.
- (3) The payment of damages should they be assessed.

Address All Correspondence to the Secretary-Treasurer,

26 Nepean St., Suite 115, Ottawa 4, Canada

APPLICATION FOR MEMBERSHIP

I, Please print name in full
date of birth, a qualified medical practitioner, hereby apply to be enrolled as a member of the Canadian Medical Protective Association.
Graduate of
a duly licensed practitioner of the Province of
since the year; a member in good standing of
Canadian or Provincial Medical Association.
Type of practice: General ☐ Specialist ☐
Specialty
Are you Certified? Yes □ No □
By whom?Royal or American College etc.
Have you been a member of the Association previously?
When?
Have you had threats or legal action against you?
Yes □ No □
If yes — What for?
Outcome?
If accepted I agree to abide by the rules and regulations of the Association.
Date Signature
Office Address
If a member of the Canadian Medical Association or Provincial Division thereof no further recommendation is required. If not, written recommendation by two members of the Canadian Medical Protective Association is necessary.
1. Please print name beside signature
2
Annual Fee twenty dollars, half rates from July. Make cheques payable to Canadian Medical Protective Association, (no exchange required).



*Sënokot

TABLETS/GRANULES

In functional constipation—for gentle, predictable relief, virtually free of side effects. Wide clinical studies show high efficacy of SENOKOT therapy in chronic, drug-induced, postsurgical, geriatric, and dietogenic constipation, as well as in constipation of puerperium, and in constipation associated with cardiovascular disorders, hemorrhoids, and chronic illness. SENOKOT preparations induce gentle, physiologic neuroperistalsis, directly stimulating the colonic plexus of Auerbach—a close approximation to the natural pattern of evacuation.


For information on dosage, administration and supply, see current Vademecum or write to the Medical Department of The Purdue Frederick Company (Canada) Ltd., 207 Queen's Quay W., Toronto 1, Ontario. Bibliography on request.



(CANADA) LTD / TORONTO 1, ONTARIO

COPYRIGHT 1962, THE PURDUE FREDERICK COMPANY

A valuable adjunct in the management of HYPERTENSION...



HYDROPRES*

(Hydrochlorothiazide with Reserpine)

Among the many resources the physician draws upon to resolve the numerous problems of hypertension, few agents are as prominent in the management plan as HYDROPRES: HYDROPRES is an efficient formulation of

complementary therapeutic properties. It combines the potent diuretic-antihypertensive activity of HydroDIURIL* hydrochlorothiazide with the tranquilizing-antihypertensive activity of reserpine.

Detailed information (regarding indications, dosage, precautions, side effects) and bibliography available on request.


How Supplied: HYDROPRES-25 and HYDROPRES-50 Tablets, each containing respectively 25 mg. and 50 mg. of hydrochlorothiazide and 0.125 mg. of reserpine, in bottles of 100 and 1000. Also available: HYDROPRES-Ka-50 Tablets, same formula as Hydropres-50 plus 572 mg. of potassium chloride (equivalent to 300 mg. of potassium) in an enteric-coated core, in bottles of 100.



MERCK SHARP & DOHME
OF CANADA LIMITED
MONTREAL 30, QUE.

^{*}Trademark

triply advantageous for the treatment of infections



high margin of safety

broad anti-infective coverage

low cost to patient

"TRULFACILLIN"

TRIPLE SULFAS AND PENICILLIN

For the treatment of pneumococcic, staphylococcic, gonococcic and hemolytic streptococcic infections . . . scarlet fever, otitis media, tonsillitis, Vincent's angina and urinary tract infections . . . and for prevention of secondary infections during measles, whooping cough and influenza in the very young and in the aged. Side effects, superinfection and drug reactions are minimal. The emergence of resistant organisms is delayed or prevented.

TABLETS and pleasantly-flavored SUSPENSIONS

DOSAGE: One or two tablets or teaspoonfuls every 4 to 6 hours (Tablets — one-half hour before or two hours after meals).
TABLETS: Bottles of 12.
SUSPENSIONS: "TRULFACILLIN" FORTE — Bottles of 60 cc. "TRULFACILLIN" 7½-300 and 7½-200 — Bottles of 60 and 100 cc.

CAUTION: While untoward effects associated with sulfonamide therapy are greatly reduced by the use of "Trulfacillin" preparations, vigilance should not be relaxed in the search for and recognition of agranulocytosis, fever, joint pains, skin reactions etc. In rare instances, the injection of penicillin and more rarely still its oral administration, may cause acute anaphylaxis. The reaction appears to occur more frequently in patients with bronchial asthma and other allergies, or in those who have previously demonstrated sensitivity to penicillin.

Also available for Infants and Children: "TRULFACILLIN" PEDIATRIC 3-200 Suspension



^{*}Tablets contain crystalline potassium penicillin G. Suspensions contain benzathine penicillin G.


Butazolidin[®] Geigy

In arthritis and allied disorders

Effective in all the major chronic forms of arthritis

Affords prompt pain relief and early restoration of function in acute arthritic conditions

Reduces disability from weeks to days in acute superficial thrombophlebitis



Butazolidin® brand of phenylbutazone, red-coated tablets of 100 mg.

Butazolidin® alka, for patients with gastric sensitivity: orange and white capsules containing Butazolidin 100 mg, aluminum hydroxide 100 mg, magnesium trisilicate 150 mg, homatropine methylbromide 1.25 mg.

As with most potent chemotherapeutic agents, it is recommended that close supervision of patients taking Butazolidin be maintained.





Its secret is in the new built-in flow-control adapter that provides more safety for your patient...more convenience for you.

The B-D REGU-VAC Catheter reduces tissue trauma—suction occurs only when you close off the adapter opening with your finger tip. And the REGU-VAC Catheter requires no additional adapters or special connectors.

This suction catheter is only one of many B-D Hospital Tubing sets—a complete line is at your service. Write for information, or ask your B-D representative.

a B-D DISCARDIT product



BECTON, DICKINSON & CO., CANADA, LTD., TORONTO 10, ONTARIO